# BIBLIOGRAPHY OF RALPH McKENZIE (updated December, 2018)

[1] *On finite groupoids and* **K***-prime algebras,* Trans. Amer. Math. Soc. **133** (1968), 115–129.

[2] *Representations of integral relation algebras,* Mich. Math. J. **17** (1970), 279–287.

[3] *Equational bases for lattice theories,* Math. Scand. **27** (1970), 24–38.

[4] *Cardinal multiplication of structures with a reflexive relation,* Fund. Math. **70** (1971), 59–101.

[5] *Definability in lattices of equational theories,* Annals Math. Logic **3** (1971), 197–237.

[6] *A note on subgroups of infinite symmetric groups,* Indag. Math. **33** (1971), 53–58.

[7] *On elementary types of symmetric groups,* Algebra Universalis **1** (1971), 13–20.

[8] *On semigroups whose proper subsemigroups have lesser power,* Algebra Universalis **1** (1971), 21–25.

[9] *Negative solution of the decision problem for sentences true in every subalgebra of* $\langle N, + \rangle$, J. Symbolic Logic **36** (1971), 607–609.

[10] *Aleph-1 incompactness of* **Z***,* Colloq. Math. **23** (1971), 199–202.

[11] (with J. Mycielski and D. Thompson) *On Boolean functions and connected sets,* Math. Systems Theory **5** (1971), 259–270.

[12] *A method for obtaining refinement theorems, with an application to direct products of semigroups,* Algebra Universalis **2** (1972), 324–338.

[13] (with R. J. Thompson) *An elementary construction of unsolvable word problems in group theory,* in: Proceedings of the Conference on Decision Problems in Group Theory, UC Irvine, 1969. North-Holland 1972. pp. 457–478.

[14] *Equational bases and nonmodular lattice varieties,* Trans. Amer. Math. Soc. **174** (1972), 1–43.

[15] *Some unsolved problems between lattice theory and equational logic,* in: Proceedings of the University of Houston Lattice Theory Conference, 1973. pp. 564–573.

[16] (with D. Monk) *On automorphism groups of Boolean algebras,* in: Colloquia Mathematica Societatis Janos Bolyai, 10. Infinite and Finite Sets. Keszthely [Hungary], 1973. pp. 951–988.

[17] (with J. Baumgartner, F. Galvin and R. Laver) *Game theoretic versions of partition relations, I,* in: Colloquia Mathematica Societatis Janos Bolyai, 10. Infinite and Finite Sets. Keszthely [Hungary], 1973. pp. 131–135.

[18] (with S. Shelah) *The cardinals of simple models for universal theories,* in: Proceedings of the Tarski Symposium, 1971. Volume 25 of Symposia in Pure Mathematics, American Mathematical Society. Providence, 1974. pp. 53–74.

[19] *On spectra, and the negative solution of the decision problem for identities having a finite nontrivial model,* J. Symbolic Logic **40** (1975), 186–196.

[20] *Automorphism groups of denumerable Boolean algebras,* Canad. J. Math. **29** (1977), 466–471.

[21] (with C. Bergman and Zs. Nagy) *How to cancel a linearly ordered exponent,* in: Colloquia Mathematica Societatis Janos Bolyai, 29. Universal Algebra. Esztergom [Hungary], 1977. pp. 87–93.

[22] (with V. Faber and R. Laver) *Coverings of groups by Abelian subgroups,* Canad. J. Math. **30** (1978), 933–945.

[23] *Para primal varieties: a study of finite axiomatizability and definable principal congruences in locally finite varieties,* Algebra Universalis **8** (1978), 336–348.

[24] *A finite algebra* **A** *with* $SP(\mathbf{A})$ *not elementary,* Algebra Universalis **8** (1978), 5–7.

[25] (with A. Romanowska) *Varieties of* $\cdot$*-distributive bisemilattices,* in: Contributions to General Algebra, H. Kautschitsch, W.B. Muller, and W. Nobauer eds. Klagenfurt, Austria, 1979.

[26] (with R. Freese) *Residually small varieties with modular congruence lattices,* Trans. Amer. Math. Soc. **264** (1981), 419–430.

[27] Decidability and Boolean Representations (with S. Burris). Memoirs AMS **32** (1981), number 246.

[28] (with S. Burris) *Decidable varieties with modular congruence lattices,* Bull. Amer. Math. Soc. **4** (1981), 350–352.

[29] *Residually small varieties of semigroups,* Algebra Universalis **13** (1981), 171–201.

[30] (with C. Tsinakis) *On recovering a bounded distributive lattice from its endomorphism monoid,* Houston J. Math. **7** (1981), 525–529.

[31] (with R. Quackenbush) *The spectrum of a lattice-primal algebra,* Discrete Math. **35** (1981), 157–163.

[32] (with B. Jónsson) *Powers of partially ordered sets: cancellation and refinement properties,* Math. Scand. **51** (1982), 87–120.

[33] *Residually small varieties of* **K**-*algebras,* Algebra Universalis **14** (1982), 181–196.

[34] *Narrowness implies uniformity,* Algebra Universalis **15** (1982), 67–85.

[35] (with J. Baldwin) *Counting models in universal Horn classes,* Algebra Universalis **15** (1982), 359–384.

[36] *Subdirect powers of non-Abelian groups,* Houston J. Math. **8** (1982), 389–399.

[37] (with D. Monk) *Chains in Boolean algebras,* Annals Math. Logic **22** (1982), 137–175.

[38] *Finite forbidden lattices,* in: Springer Lecture Notes 1004 (1983). Proceedings of the 4th International Conference on Universal Algebra and Lattice Theory [Puebla, Mexico, 1982]. pp. 176–205.

[39] *The number of non-isomorphic models in quasi-varieties of semigroups,* Algebra Universalis **16** (1983), 195–203.

[40] *Tame congruences,* in: Colloquia Mathematica Societatis Janos Bolyai, 43. Universal Algebra. Szeged [Hungary], 1983. pp. 293–305.

[41] *A note on residually small varieties of semigroups,* Algebra Universalis **17** (1983), 143–149.

[42] (with B. Koppelberg and D. Monk) *Cardinality and cofinality of homomorphs of products of Boolean algebras,* Algebra Universalis **19** (1984), 38–44.

[43] *A new product of algebras and a type reduction theorem,* Algebra Universalis **18** (1984), 29–69.

[44] (with J. Berman) *Clones satisfying the term condition,* Discrete Math. **52** (1984), 7–29.

[45] *Categorical quasivarieties revisited,* Algebra Universalis **19** (1984), 273–303.

[46] *The structure of finite algebras,* in: Atti degli Incontri di Logica Matematica vol.2 [Siena] (1985). pp. 561–584.

[47] Alfred Tarski: Collected Papers (edited with S. R. Givant, in four volumes). Birkhäuser, Basel-Boston-Stuttgart, 1986.

[48] Commutator Theory for Congruence Modular Varieties (with R. Freese). London Mathematical Society Lecture Note 125. 1987.

4

[49] Algebras, Lattices, Varieties, I (with G. McNulty and W. Taylor). Wadsworth–Brooks/Cole, Monterey, California, 1987.

[50] *Nilpotent and solvable radicals in locally finite congruence modular varieties,* Algebra Universalis **24** (1987), 251–266.

[51] The structure of finite algebras (with D. Hobby), American Mathematical Society, Contemporary Mathematics, Volume 76. 1988.

[52] (with C. Bergman) *On the relationship of AP, RS, and CEP in congruence modular varieties, II,* Proc. Amer. Math. Soc. **103** (1988), 335–343.

[53] (with M. Hèbert and G.E. Weaver) *Two definability results in the equational context,* Proc. Amer. Math. Soc. **107** (1989), 47–53.

[54] The Structure of Decidable Locally Finite Varieties (with M. Valeriote). Birkhauser, Progress in Mathematics, Volume 79. 1989.

[55] *Residually small varieties revisited,* in: Lattices, Semigroups and Universal Algebra (Proceedings of the Lisbon 1988 Conference). Plenum Press, 1990. pp. 185–190.

[56] *Interactions between group theory and the general theory of algebras,* in: "Groups–Canberra 1989", Springer Lecture Notes in Mathematics, Volume 1456, 1990. pp. 32–48.

[57] (with W. Taylor) *Interpretations of module varieties,* Journal of Algebra **135** (1990), 456-493.

[58] (with C. Bergman) *Minimal varieties and quasivarieties,* Journal of the Australian Math. Soc., Series A **48** (1990), 133–147.

[59] *Monotone clones, residual smallness and congruence distributivity,* Bulletin of the Australian Math. Soc. **41** (1990), 283–300.

[60] *Congruence extension, Hamiltonian and Abelian properties in locally finite varieties,* Algebra Universalis **28** (1991), 589–603.

[61] (with S. Burris and M. Valeriote) *Decidable discriminator varieties from unary varieties,* Jour. Symbolic Logic **56** (1991), 1355–1368.

[62] (with J. Hyndman and W. Taylor) *k-ary monoids of term operations,* Semigroup Forum **44** (1992), 21–52.

[63] (with K. Kearnes) *Commutator theory for relatively modular quasivarieties,* Trans. Amer. Math. Soc. **331** (1992), 465–502.

[64] (with M. Valeriote). *A characterization of decidable locally finite varieties,* in: Proceedings of the International Conference on Algebra honoring A. Malcev. AMS Contemporary Mathematics Volume 131, 1992 (Part 3). pp. 169–185.

[65] (with J. Jezek) *Definability in the lattice of equational theories of semigroups, I,* Semigroup Forum **46** (1993), 199–245.

[66] *On the covering relation in the interpretability lattice of equational theories,* Algebra Universalis **30** (1993), 399–421.

[67] (with S. Świerczkowski) *Non-covering in the interpretability lattice of equational theories,* Algebra Universalis **30** (1993), 157–170.

[68] (Russian translation of 52). Mir, 1993. Yu. Ershov, V. Gorbunov Eds.

[69] *On minimal simple lattices,* Algebra Universalis **32** (1994), 63–103.

[70] (with B. Davey, J. B. Nation and P. P. Palfy) *Braids and their monotone clones,* Algebra Universalis **32** (1994), 153–176.

[71] (with B. Davey and L. Heindorf) *Near unanimity: an obstruction to general duality theory,* Algebra Universalis **33** (1995), 428–439.

[72] *The residual bounds of finite algebras,* International Journal of Algebra and Computation **6** (1996), 1–28.

[73] *The residual bound of a finite algebra is not computable,* International Journal of Algebra and Computation **6** (1996), 29–48.

[74] *Tarski's finite basis problem is undecidable,* International Journal of Algebra and Computation **6** (1996), 49–104.

[75] *An algebraic version of categorical equivalence for varieties and more general algebraic categories,* in: *Logic and Algebra* (Proceedings of the Magari Conference, Siena), A. Ursini and P. Aglianó Eds., Marcel Dekker, New York, 1996.

[76] (with B.M. Schein) *Every semigroup is isomorphic to a transitive semigroup of binary relations,* Transactions Amer. Math. Soc. **349** (1997), 271–285.

[77] (with K. Kaarli) *Affine complete varieties are congruence distributive,* Algebra Universalis **38** (1997), 329–354.

[78] (with J. Jezek, P. Marković and M. Maroti) *The variety generated by tournaments,* Acta Univ. Carolinae, Math. et Phy. **40** (1999), 21–41.

[79] Review of five papers of B. Hart, A. Pillay, S. Starchenko and M. Valeriote in J. Symbolic Logic (1999) bf 64, no. 4, 1820–1821.

[80] *Arithmetic of finite ordered sets: cancellation of exponents, I,* Order **16** (1999), 313–333.

[81] *Arithmetic of finite ordered sets: cancellation of exponents, II,* Order **17** (2000), 309–332.

[82] (with J. Jezek, P. Marković and M. Maroti) *Equations of tournaments are not finitely based,* Discrete Mathematics **211** (2000), 243–248.

[83] *Recursive inseparability for residual bounds of finite algebras,* Journal of Symbolic Logic **65**, no. 4 (2000), 1863–1880.

[84] (with M. Droste, D. Kuske, R. Pöschel) *Complementary closed relational clones are not always Krasner clones,* Algebra Universalis **45** (2001), 155–160.

[85] (with J. Wood) *The type-set of a variety is not computable,* International Journal of Algebra and Computation **11** (2001), 89–130.

[86] (with J. Jezek) *The variety generated by equivalence algebras,* Algebra Universalis **45** (2001), 211–219.

[87] (with P. M. Idziak) *Varieties with polynomially many models,* Fundamenta Mathematicae **170** (2001), 53–68.

[88] *Residual smallness relativized to congruence types, I,* Journal of Pure and Applied Algebra **163** (2001), 209–220.

[89] (with R. Freese, J. Ježek, P. Jipsen, P. Marković M. Maroti) *The variety generated by order algebras,* Algebra Universalis **47** (2002), 103–138.

[90] *Locally finite varieties with large free spectra,* Algebra Universalis **47** (2002), 303–318.

[91] *The zig-zag property and exponential cancellation of ordered sets,* Order **20** (2004), 185–221.

[92] (with M. Maroti) *Finite basis problems and results for quasivarieties,* Studia Logica **78** (2004), 293–320.

[93] (with J. D. Monk) *On some small cardinals for Boolean algebras,* Journal of Symbolic Logic **69** (2004), 674–682.

[94] (with J. Ježek and M. Maroti) *Quasi-equational theories of flat algebras,* Czech. Math. J. **55**, No. 3 (2005), 665–675.

[95] (with John Snow) *Congruence modular varieties: commutator theory and its uses,* in: Structural Theory of Automata, Semigroups and Universal Algebra, Edited by V.B.Kudryavtsev and I. G. Rosenberg, NATO Science Series II: Mathematics, Physics and Chemistry – Vol. 207, pp. 273–329, 2005, Springer.

[96] (with M. Jackson) *Interpreting graph colourability in finite semigroups,* International Journal of Algebra and Computation **16**, No. 1 (2006), 119–140.

[97] (with K. Adaricheva, M. Maróti, J.B. Nation and E.R. Zenk) *The Jónsson-Kiefer property,* Studia Logica **83** (2006), 111–131.

[98] (with D. Stanovský) *Every quasigroup is isomorphic to a subdirectly irreducible quasigroup modulo its monolith,* Acta Math. Sci. Szeged **72** (2006), 59–64.

[99] (with P. Dapić, J. Ježek, P. Marković and D. Stanovský) *Star-linear equational theories of groupoids,* Algebra Universalis **56 (3/4)** 357–397. (2007),

[100] (with M. Maroti) *Existence theorems for weakly symmetric operations,* Algebra Universalis **59, 3**–**4** (2008), 463–489.

[101] (with B. Davey, M. Jackson and M. Maroti) *Principal and syntactic congruences in congruence-distributive and congruence-permutable varieties,* J. Austral. Math. Soc. **85** (2008), 59–74.

[102] (with P.M. Idziak and M. Valeriote) *The structure of locally finite varieties with polynomially many models,* Journal of the American Mathematical Society **22, no. 1** (2009), 119–165.

[103] (with W. Dziobiak, M. Maroti, A. Nurakuno and R. Willard) *The weak extension property and finite axiomatizability for quasivarieties,* Fundamenta Mathematicae **202** (2009), 199–223.

[104] (with J. Berman, P. Idziak, P. Markovíc, M. Valeriote, R. Willard) *Varieties with few subalgebras of powers,* Transactions AMS **362** (2009), 1145–1173.

[105] (with P. Idziak, P. Markovíc, M. Valeriote, R. Willard) *Tractability and learnability arising from algebras with few subpowers,* Proceedings of the 22nd Annual IEEE Symposium on Logic in Computer Science, 221–230.

[106] (with P. Idziak, P. Markovíc, M. Valeriote, R. Willard) *Tractability and learnability arising from algebras with few subpowers,* SIAM J. Comp. **39** no. 7 (2010), 3023–30

[107] (with W. Dziobiak and J. Ježek) *Avoidable structures, I: ordered sets, semilattices and lattices,* Algebra Universalis **60** (2009), 247–258.

[108] (with W. Dziobiak and J. Ježek) *Avoidable structures, II: finite distributive lattices and nicely structured ordered sets,* Algebra Universalis **60** (2009), 259–291.

[109] (with L. Barto, M. Kozik, M. Maróti and T. Niven) *Congruence modularity implies cyclic terms for finite algebras,* Algebra Universalis **61(3)** (2009), 365–380.

[110] (with J. Ježek) *Definability in substructure orderings, I: finite semilattices,* Algebra Universalis **61** (2009), 59–75.

[111] (with J. Ježek) *Definability in substructure orderings, II: finite ordered sets,* Order **27** (2010), 115–145.

[112] (with J. Ježek) *Definability in substructure orderings, III: finite distributive lattices,* Algebra Universalis **61** (2009), 283–300.

[113] (with J. Ježek) *Definability in substructure orderings, IV: finite lattices,* Algebra Universalis **61** (2009), 301–312.

[114] (with P. Markovic) *Few subpowers, congruence distributivity, and near-unanimity terms,* Algebra Universalis **58** (2008), 119–128.

[115] (with E. Aichinger, P. Mayr) *On the number of algebraic structures,* Journal of the European Mathematical Society (2014) **6**, 1673–1686.

[116] (with P. Markovic, M. Maroti) *Finitely related clones and algebras with cube-terms*, Order, **29(2)** (2012), 345–359.

[117] (with K. Kearnes and P. Markovic) *Optimal strong Mal'cev conditions for omitting type* **1** *in locally finite varieties,* Algebra Universalis **72** (2014), 91–100.

[118] (with A. Kazda and M. Moore) *Absorption and directed Jónsson terms*, In: Czelakowski, J. (eds) Don Pigozzi on abstract algebraic logic, universal algebra and Computer Science. Outstanding Contributions to Logic, vol. 16, Springer 2018, pp. 203–220.

[119] (with J. Jovanović, P. Marković and M. Moore) *Optimal strong Mal'cev conditions for congruence meet semidistributivity in locally finite varieties,* Algebra Universalis **76** (2016), no. 3, 305–321.

[120] (with R. Freese) *Mal'cev families of varieties closed under join or Mal'cev product,* Algebra Universalis **77** (2017), no. 1, 29–50.

[121] (with M. Smedberg) *Strong solvability and residual finiteness for finitely decidable varieties,* (submitted to Fundamenta Mathematicae, Mycielski editor).

[122] (with R. Freese, G. McNulty and W. Taylor) Algebras, Lattices, Varieties II, (in progress).

[123] (with M. Moore) *Colorings of free algebras, splittings in the lattices of intepretability,* (in progress).

[124] (with P. Markovic) *On the constraint satisfaction problem for semilattices of Mal'cev blocks* (in progress).